



Brown Hill Community FireAware Network Coorabin Estate Cluster Information Session held 22 October 2016

This session provided overall details of the risk of a fire impacting on the community of Brown Hill and in particular the Neighbourhood Cluster of the Coorabin Estate. (Note: these notes would also be applicable to

residents living in other sub divisions)

Locality characteristics The subdivisions north of the freeway are expanding and are situated between bushland to the west and east and open farm land to the north. At present there are 6 defined subdivisions of varying ages and completion. All of this area is designated as a Bushfire Prone Area. Springs Road again is the only through road to the south.

Presenters were:

- Dr Kevin Tolhurst (Assoc. Professor in Fire Ecology and Management) presented on fire behaviour and cluster risk assessment
- Mark Cartledge (City of Ballarat, Municipal Fire Prevention Officer) presented on the role of the City of Ballarat and emergency services in the event of a bushfire impacting on Ballarat suburbs

Take homes:

"The chance of fire around the Coorabin Estate is quite HIGH" –Kevin Tolhurst.

"Know your fire risk" - Kevin Tolhurst.

"Education – know what not to do on a bad fire day, know what a fire risk is, and be prepared." – Mark Cartledge

In the event of a fire:

- People often become dehydrated during a fire – drink plenty of water and stay hydrated
- Support your neighbours
 - Work together with your neighbours to protect homes
 - If you plan to stay and defend you may shelter at a neighbour if their house is better prepared for a fire
- It may be a day or more before you can return to your home after a fire
- Be aware of your surroundings – pull over for emergency service vehicles

Notes taken on cluster risk evaluation and fire behaviour

The two most likely fire scenarios to impact the Coorabin Estate include:

- On a Severe to Code Ref fire danger day with a fire starting 20 to 40 kms to the north of the estate i.e. Clunes/Creswick – this would result in a large fire causing spot fires throughout the estate
- A fire like this would create strong winds around the fire
- In this scenario you wouldn't want to be in the estate – if you are in the estate you would need to be well prepared
- House to house ignition would be highly likely i.e. one house goes up followed by neighbouring houses
- Fires in the estate could continue to burn for a long time i.e. more than 24 hours therefore restricting access back into the estate
- The Coorabin Estate is fortunate to have underground power however it is highly likely for powerlines outside of the estate to fall down, cutting power, and/or trees down which will block access to and from the estate – this includes both access for residents and emergency services (the Coorabin Estate only has one entry/exit point)

- A fire starting in Creswick could easily make its way to the Coorabin Estate in an hour – often smoke from the fire is not visible until the fire is very close
- In 1997 the fire burned right to the edge of White Swan Reservoir
- LEAVE EARLY!

What to be aware of at your house in the Coorabin Estate:

- During a fire you may have limited water pressure. To help with putting out embers:
 - Fill your bath tub on high fire danger days (not for sitting in!)
 - Keep a water tank full during the fire season
 - Fill an empty rubbish bin with water on high fire danger days
- Mulch will smoulder and is an issue for spot fires
- Be aware of plants with dead material that is highly flammable
- Older bushes will often have a lot of dead material in them – have a good look at the centre of bushes and under plants for dead material and remove
- Cut back plants prior to the fire season and let them re-grow
- Keep at least a 1m gap between your house and garden beds – this makes a huge difference
- Wooden retaining walls and fences will burn and smoulder – if you plan to stay and defend you will need to keep an eye on retaining walls and fences
- On a Severe, Extreme or Code Red fire day put away doormats and move other flammable material away from your house
- Having metal fencing, protecting windows with metal (aluminium flywire) screens covering all glass and ember proofing a house can assist to lower the risk of ignition
- PREPARE YOUR HOUSE AND GARDEN WELL BEFORE THE FIRE SEASON

Bushfire hazards

Ember attack

- can happen before, during and many hours after a fire front has passed
- 80% to 90% of houses lost are due to ember attack

What is an ember attack?



Embers are burning twigs, leaves and pieces of debris

Ember attack occurs when twigs and leaves are carried by the wind and land on or around houses

Ember attack is the most common way houses catch fire during bushfires

Embers can land on top of debris in your gutters and set fire to your house

Ember attack can happen before, during and after the bushfire.

Source: <http://www.cfa.vic.gov.au/plan-prepare/how-fire-behaves/>

- The greatest threat to the majority of the Brown Hill suburb is from ember attack; to defend against an ember attack can take hours of vigilance both outside and inside a house;
- Houses can burn down hours after a fire has past due to a slow build up of embers;
- Investigation into the Canberra fires in 2003 and the Wye River fires in 2015 revealed that the majority of houses lost were from ember attack and not the direct fire front;
- Spot fires can start in multiple backyards as embers can travel long distances before a fire arrives, during and long after the initial threat has past;

- If embers have time to build up and are not extinguished quickly they can enter unsealed areas/weak points and ignite houses;
- Once houses have ignited, house to house fires then become a high risk;
- If high winds are created by the fire they have the potential to lift tiles, even momentarily, which allow entry of embers in roofing area;

Smoke

- making it difficult to see and breath

Whilst a visible haze will indicate the presence of bushfire smoke, the concentration of hazardous particles and gases will be dependent on a number of factors including: the size of the bushfire and the amount of smoke produced; the distance the smoke has travelled from the source of the bushfire; and the prevailing weather conditions.

Source: [http://health.act.gov.au/sites/default/files/Fact%20sheets/Bushfire%20Smoke%20-%20Information%20Sheet%20\(December%202014\).pdf](http://health.act.gov.au/sites/default/files/Fact%20sheets/Bushfire%20Smoke%20-%20Information%20Sheet%20(December%202014).pdf)

Radiant heat

- is measured in kW/m^2 – over 2 kW/m^2 are lethal to a human body; at this rate bare skin will undergo a 2nd degree burn in about 40 seconds houses have greater capacity to withstand radiant heat;
- Radiant heat travels in straight lines therefore the greatest protection from it is either increasing your distance from it or putting a barrier between it and yourself.

The figures prescribed for building construction in a Bushfire Management Overlay (BMO) area and the Bushfire Attack Level (BAL), relate to the amount of radiant heat a building may be exposed to with the particular construction details for each BAL intended to reduce the risk of ignition while the fire front passes. For example, a building exposed to between 19 and 29 kW/m^2 of radiant heat is built to BAL-29 to reduce the chance of ignition.

The effects of radiant heat

Radiant heat flux kW/m^2	Observed effect
1	Maximum for indefinite skin exposure
3	Hazardous conditions, firefighters expected to operate for a short period (10 minutes)
4.7	Extreme conditions, firefighters in protective clothing will feel pain after 60 seconds of exposure
6.4	Pain after 8 seconds of skin exposure
7	Likely to be fatal to unprotected person after exposure for several minutes
10	Critical conditions, firefighters not expected to operate in these conditions although they may be encountered. Considered to be life threatening in less than 60 seconds in protective equipment. Fabrics inside a building could ignite spontaneously with long exposure.
12.5 (BAL 12.5)	Volatiles from wood may be ignited by pilot flame/spark after prolonged exposure. Standard float glass could fail during the passage of a bushfire.
16	Blistering of skin after 5 seconds
19 (BAL 19)	Screened float glass could fail during the passage of a bushfire
29 (BAL 29)	Ignition of most timbers without piloted ignition (3 minutes of exposure) during the passage of a bushfire. Toughened glass could fail.
40+	Flame zone – exposure to direct flame contact from fire front.

Source: http://www.cfa.vic.gov.au/fm_files/attachments/plan_and_prepare/planning-for-bushfire-web.pdf

Convective heat

- Formed by heated air and concentrated gases and usually travels upward;
- Gases in bushfire smoke may include carbon monoxide, carbon dioxide, nitrogen oxides and volatile organic compounds;
- Steepness of terrain can affect its significance;
- Can be difficult to breath; death can occur due to lung searing and asphyxiation;

Convection is the transfer of heat through the movement of heated air or fluids. Combustion in a fire heats the air, causing it to rise because it is hotter than the surrounding air. As the hot air mixes with the cooler surrounding air it gradually loses this heat. As a fire gains intensity, the air above it is heated to an even greater temperature, so the air rises faster.

Cooler air must move in towards the fire at the ground level to replace this heated air. This air is known as in-draught wind. Most of the heat transferred from a bushfire is from convection currents of hot air. This process forms a convection column of rising hot air and a smoke plume above the fire.

The convection column can carry ash, embers and pieces of burning fuel, as well as preheating the vegetation above the fire (higher shrub layers and tree canopies). Large convection columns can produce severe weather events including

cyclonic wind and lightning. As convective heat generally travels upwards, its effect on a building is usually negligible when compared to radiant heat. However, for a building located on a steep slope, the impact of convective heat may be significant, lifting tiles or roofing iron, breaking windows or breaking branches off overhanging trees, making this an extremely dangerous location to develop.

Source:

http://www.cfa.vic.gov.au/fm_files/attachments/plan_and_prepare/planning-for-bushfire-web.pdf

How best to protect yourself? Wear protective clothing

What to wear

During a bushfire, it can be very hot and there may be sparks or embers flying around. For this reason, it is important to wear personal protective clothing. Loose fitting clothing made from natural fibres such as pure wool, heavy cotton drill or denim is important to protect you from injury. Synthetic fabrics can melt or burn.

Recommended personal protective clothing includes:



A wide brimmed hat or hard hat; A hat can stop embers from dropping onto your head or down the back of your shirt.



Glasses or goggles: Eye coverings can protect your eyes against any smoke, embers and debris that may be in the air.



Gloves: Gloves can protect your hands from radiant heat, embers and debris that may be in the air or on anything you pick up around your yard when protecting your property.



A mask (use a mask rated P2. or cloth, non-synthetic)

Covering your nose and mouth, may protect you from inhaling smoke, ash and embers.



A long-sleeved shirt made from thick cotton or wool is ideal (e.g. cotton drill work shirt)

A shirt can stop embers from burning your skin and help protect you from radiant heat and debris.



A pair of heavy cotton pants, such as denim jeans, oil free drill pants or cotton overalls

Long pants can stop embers from burning your skin and help protect you from radiant heat and debris.



Sturdy leather work boots or shoes along with a pair of woollen or cotton socks

Sturdy leather footwear can stop embers from burning your skin, help protect you from radiant heat and debris.

- Keep hydrated by drinking water

Dehydration occurs when the body loses more fluid than it gains. Dehydration is dangerous because it creates a build up of salts and minerals in the body tissues which put strain on the kidneys. When the kidneys fail, death can quickly follow.


The high air temperature during a bushfire and the added stress of wearing extra clothing to shield against radiant heat will make you sweat heavily. People involved in active bushfire defence may lose up to two litres of fluid per hour.

Some simple ways to avoid dehydration are:

- ✓ Keep COOL by splashing your face with cool water
- ✓ Drink cool WATER often – even if you don't feel thirsty
- ✓ AVOID alcohol and fizzy drinks as they increase dehydration

Source: http://www.latrobe.edu.au/education/downloads/bushfire_safety.pdf

Brown Hill overview of risk level



Significant areas of the suburb of Brown Hill have been designated as “*Bushfire Prone Areas*”. **What are Bushfire Prone Areas?** They are areas that are subject to or likely to be subject to bushfires. You can learn more about *Bushfire Prone Areas* and download your own property report by accessing the following:

www.dtpli.vic.gov.au/planning/planning-and-building-for-bushfire-protection/building-in-bushfire-prone-areas

- The highest risk areas of Ballarat to a fire threat are Nerrina, Invermay and Brown Hill;
- The direction of the threat coming from the forested areas north-west of the city – Creswick and Clunes – depending on ignition point a fairly large fire could develop;
- Intensity of any fire depends on the fire rating and weather conditions at the time of ignition;
- wind direction on high fire danger days usually comes from the north west – this could change dramatically if a south westerly wind change comes through – which causes significant changes to the configuration of the fire front

■ Before wind change - - - Single / narrow fire front
■ After wind change - - - Multiple / broad fire front

Wind


Wind is a major controlling factor that determines rate and direction of spread, and shape of fire. The diagram illustrates the fire that can result from a change in wind direction.

Notice that a change in wind direction from the NW to SW has caused the flank fire to become the new fire front — much larger and potentially more difficult to control than the original narrow front.

Source: <http://learnline.cdu.edu.au/units/env207/fundamentals/weather.html>

- However the terrain is not significantly steep as the more mountainous areas of eastern Victoria.

Terrain (topography)



A fire will burn faster uphill. This is because the flames can easily reach more unburnt fuel in front of the fire. Hot gases and radiant heat pre-heats the fuel in front of the fire, making the fuel burn more rapidly.

For every 10° slope, the fire will double its speed. For example, if a fire is travelling at 5 km per hour along flat ground and it hits a 10° slope it will double in speed to 10 km per hour up the hill.

By increasing in speed the fire also increases in intensity, becoming even hotter and throws more embers forward.

The opposite applies to a fire travelling downhill. The flames reach less fuel, and less radiant heat pre-heats the fuel in front of the fire. ** Fires tend to move more slowly as the slope decreases.

Source: <http://www.cfa.vic.gov.au/plan-prepare/how-fire-behaves/>

**** Fires do not slow at the same rate as they increase with slope. There is strong experimental and field evidence that fires in forest do not reduce in downhill speed much more than 50% even for very steep slopes.**

- Relative narrow range of vegetation and therefore fuel load; a fire travelling at about 10 km/h on flat ground would have a flame depth of about 110 m in forest and 14 m in grassland.
- If the width of the vegetation (fuel) is less than these dimensions, such as alongside a road or creek or narrow windbreak, then the heat from the fire will be less than if it was coming from a deep area of fuel such as a forested area.
- Due to the lower fuel load and relatively smaller forested area, than other forested areas of Victoria, it is less likely that a fire would have the ability to develop into a catastrophic event. This however, does not mean that a fire hasn't the potential to infiltrate the urban fringe of the city

Research into the impacts of bushfires in Australia indicates that approximately 85% of house loss occurs within 100 metres of bushland.

Established 'urban' areas that contain or are within close proximity to significant areas of high fuel loads: The buildings will be exposed to radiant heat and localised flame contact from individual elements burning in the landscape rather than a definable fire front. These include elements such as neighbouring buildings, clumps of vegetation and sheds. Numerous spot fires are likely.

Ember attack is the most common way that houses catch fire during a bushfire. Research conducted after major fires, indicates that up to 80% of house losses are due to ember attack. Ember attack occurs when small burning twigs, leaves and bark are carried by the wind, landing in and around a building. Embers can enter gaps as small as 1.8 millimetres, igniting timber and other materials in a building. They can also ignite flammable materials in the garden, such as leaf litter, dead plants, outdoor furniture, fencing and sheds. Ember attack can happen before, during and after a bushfire and is often characterised by the slow onset of a house burning before becoming fully engulfed in fire.

Source: http://www.cfa.vic.gov.au/fm_files/attachments/plan_and_prepare/planning-for-bushfire-web.pdf

When bushfire fuel contains more than 30% moisture by weight it is impossible to ignite; when it is less than 20%, it can be readily ignited; when it is less than 10%, combustion is rapid and fires can spread easily; and when it is less than 5%, fire behaviour is highly erratic and fire spread is rapid. In Victoria on Black Saturday, 7 February 2009, the entire landscape for much of the afternoon had a moisture content of less than 5%. Under these conditions the slightest spark can ignite the fuel and fires will spread very rapidly.

Source: <https://blogs.csiro.au/ecos/bushfire-in-australia-understanding-hell-on-earth/>

Three stages of a fire

During a fire, people and properties are at risk from several things, depending on the stage of the fire. The ways of mitigating the threats posed at each stage are detailed in fact sheets on [Preparing your Property, Physical and Emotional Preparation](#) and [On the Day of a Bushfire](#), but the main principles are listed below. It is vitally important to plan well before the fire arrives as to what action you will take and whether you will leave early. Preparing a Bushfire Survival Plan will assist with this decision making and understanding when and which plan to enact. Never wait until the bushfire arrives before preparing both your property and yourself.

Stage one – before the fire arrives

The lead time is highly variable, but a general guide is up to 30 minutes.

In the time leading up to the arrival of the fire front, the main threats are ember attack, thick smoke, increasing fire noise and increasing darkness. It will also be hot and frightening. Deal with these threats by:

- ember proofing your home
- preparing a defensible space around your home
- patrolling inside and outside the house, extinguishing any spot fires
- dressing in protective clothing and wearing a protective mask
- preparing yourself psychologically for the ordeal
- sheltering in the house if conditions become too bad

Stage two – during the fire

This is a relatively short period, but that does not make it less horrific. It will last from 5 to 20 minutes, depending on conditions (*KT: unless you are in rugged mountain terrain such as in the Eastern Highlands when you may be exposed to fire fronts for 2 to 3 hours*). Although the exposure is normally brief, this is the most dangerous stage and people should seek shelter inside. As the fire front passes, properties will be subject to radiant heat, flame contact, ember attack, smoke, loud noise, darkness, and power failure.

Radiant heat

Radiant heat is the greatest threat to people and can kill well before the fire front arrives. You *must* seek shelter from it. Radiant heat is many times hotter than the air temperature. The front of a moving fire radiates up to six times more heat than its back. Radiant heat only radiates *in straight lines* and will *not penetrate solid objects*. Although it may not set a

building on fire, it can crack and break windows, allowing embers to enter your home. ** Bushfires in forests radiate a more significant amount of heat than bushfires in grassland.

Stage three – after the fire front has passed

Many hours, sometimes days, after the fire front has passed, properties continue to be at risk from ember attack and smouldering fuel. You should extinguish small fires and check roof spaces and other likely places for embers.

Source: http://www.cfs.sa.gov.au/site/prepare_for_bushfire/know_your_risk/bushfire_behaviour.jsp

***Definition of "bushfire": being any open-air vegetation fire whether it is in grassland, shrubland, woodland or forest*

Final note: Often people who have experienced a fire at close quarters express how loud the fire was. What causes this noise?

The noise of an approaching fire, generated by the rapid cellular decomposition of vegetative matter and shockwaves associated with the gas phase combustion of the released volatiles, can be most frightening, particularly when the fire itself cannot be seen due to smoke and topography. It is often compared to the sound of a steam train at full tilt or the roar of a jet engine.

Source: <https://blogs.csiro.au/ecos/bushfire-in-australia-understanding-hell-on-earth/>

Wanting to know more?

To find out more about bushfire risk and what to do about it access the Network's web pages:

On risk: <http://www.pleanetwork.com.au/fireaware-network-understanding-risk/>

You will find on this page: Brown Hill community risk; what is it like when fire meets urban fringe (Canberra fires 2003 – video); How mentally prepared are you? (video); Victorian bushfire outlook released; Check your level of risk; Myth Busters – common myths about bushfire; how a bushfire behaves; learn about embers and their role in house fires

On being prepared: <http://www.pleanetwork.com.au/fireaware-network-be-prepared/>

You will find on this page: videos (5); preparing your plan: FireReady Quiz; CFA Fire Ready Kit; CFA Fireguard Program; ACT Bushfire Survival Plan; more plan formats; plan format for older residents; business fire ready kit; other guides; comprehensive resource material; community organisations – building resilience

Get to know your neighbours: share your bushfire plans and find ways to work together. Even 3 or 4 households could do much to lower the fire risk to themselves and their neighbours.

Stay informed: Work out alternative ways to keep informed of possible fire threats to the area and how to share that information amongst your neighbours. **Watch the weather!**

Give your house the best chance of surviving by preparing your property well before the fire season irrespective if you plan to stay and defend or leave.

Have a bushfire plan: know what you are going to do pre-season; on high fire risk days and days leading up to them; decide if you are going to leave, or stay and defend, and then have a plan to know what to do if circumstances change; know the triggers for when decisions will be made; review your plan regularly.

REMEMBER: If a plan is not written down and practiced – it is NOT a plan!